




Leica DISTO™ D2

Compact Device – Outstanding Range

New Leica DISTO™ D2

Situation and challenges today on jobsite



- At least 2 people (measuring and taking notes)
 - Precise and reliable data required
 - Measuring long distances
 - Measuring from edges and corners
 - Time consuming
- ➔ **Cost intensive measuring that can be avoided**

New Leica DISTO™ D2

Leica's solution to reduce time and costs



- Precise and reliable
 - Longest range in class
 - Flexible for most use cases
 - Send data to your Smartphone or tablet
- ➔ Saves costs

New Leica DISTO™ D2

Solves multiple interior measuring tasks




Measure with the
DISTO™ D2 New and get


- Long distances
- Heights
- Areas, Wall-areas
- Volumes
- Sketches
- Documented photos

New Leica DISTO™ D2


Simply professional




Tracking incl. Min. & Max. Tracking




Pythagoras Measurements



Area and Volume Measurements



Stake-out Measurement



Wall-areas Measurement



Automatic End-piece

New Leica DISTO™ D2

Technical Specification and Features



- Range: 0.05 - 100 m
- Accuracy: $\pm 1.5\text{mm}$
- Bluetooth® Smart
- Automatic end-piece detection
- Area, Volume, Wall-area, Perimeter
- Pythagoras, Stake-out, 10 Memory
- Large illuminated 3-line display
- 116 x 44 x 26mm / 100g
- Made in Hungary




- when it has to be right

Leica
Geosystems

New Leica DISTO™ D2

Scope of Delivery



- Leica DISTO™ D2
 - Pouch with new Logo
 - 2 x AAA batteries
 - Handloop
 - Calibration certificate silver
 - Protect card
 - Quickstart with link to online manual 
 - Safety Manual





Leica DISTO™ sketch new Update available



New features:

- New DISTO™ sketchbook
- New DISTO™ device Manager







Leica DISTO™ sketch new Update available



New features:

- New Drawing Workflow



- New support of Apple Watch



New Leica DISTO™ D2

Key Benefit

Conventional workflow




Workflow with new Leica DISTO™ D2 and DISTO™ sketch App




New Leica DISTO™ D2

Application – HVAC




New Leica DISTO™ D2

Application – Electricians



New Leica DISTO™ D2

Application – Shutter, blinds



New Leica DISTO™ D2

Application – Real Estate



New Leica DISTO™ D2 Application – Architect



New Leica DISTO™ D2

Application – Building and Construction



New Leica DISTO™ D2

Application – Tiler, Floorlayer



New Leica DISTO™ D2 Competition



	Leica DISTO™ D110	New Leica DISTO™ D2	Bosch GLM 50C	Hilti PD 5	Toolcraft LDM-70BT
Maximum Range	60m	100m	50m	100m	70m
Accuracy	1,5mm	1,5mm	1,5mm	1,5mm	1,5mm
In Accordance with ISO 16331-1	✓	✓	✓	✗	✗
Bluetooth®	✓	✓	✓	✗	✓
Basic Functions (Area, Volume, +/-)	Area	✓	✓	✗	✓
Pythagoras	✗	✓	✓	✗	✓
Stake-out	✗	✓	✓	✗	✗
Memory	✗	✓	✓	✗	✓
Automatic end-piece	✗	✓	✗	✗	✗
3-line illuminated display	✗	✓	✓	✗	✓
Inclination sensor	✗	✗	✓	✗	✓
Size	120 x 37 x 23mm	116 x 44 x 26mm	106 x 45 x 24mm	164 x 33 x 21mm	135 x 53 x 30mm
3 years warranty	✓	✓	✓	✗	✗
Made in Europe	✓	✓	✗	✓	✗
Specials	Pocket Clip		Color Display		
Recommended List Price (excl. VAT)	159 €	189 €	149 €	149 €	156 €

- when it has to be **right**

Leica
Geosystems

WELCOME:



<http://www.leica-geosystems.com>



<http://www.leica-geosystems.com/facebook>



<http://www.leica-geosystems.com/linkedin>



<http://www.leica-geosystems.com/twitter>



<http://www.leica-geosystems.com/youtube>